# Ronacrete

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

# RonaFloor Repair 1 Hour 25mm+

Page 1/4

Revision 0 Revision date 2012-01-11

| <b>SECTION 1: Identification of</b> | the substance/mixture and of the company/undertaking   |
|-------------------------------------|--|
| 1.1. Product identifier             |  |
| Product name                        | RonaFloor Repair 1 Hour 25mm+  |
| Product code                        | PC019  |
| 1.2. Relevant identified uses of t  | the substance or mixture and uses advised against  |
| Product Use                         | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PROC5] Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact); [ERC5] Industrial use resulting in inclusion into or onto a matrix; [AC4] Stone, plaster, cement, glass and ceramic articles; |
| 1.3. Details of the supplier of the | e safety data sheet  |
| Company                             | Ronacrete Limited  |
| Address                             | Ronac House<br>Flex Meadow<br>Harlow<br>Essex CM19 5TD<br>United Kingdom   |
| Web                                 | www.ronacrete.co.uk  |
| Telephone                           | +44 (0) 1279 638700  |
| Fax                                 | +44 (0) 1279 638701  |
| Email                               | technical@ronacrete.co.uk  |
| 1.4. Emergency telephone num        | ber  |
| Emergency telephone number          | +44 (0) 1279 638700  |
|                                     | Daytime  |
| SECTION 2: Hazards identifi         | cation   |
| 2.1. Classification of the substar  |  |
| Main hazards                        | No Significant Hazard  |
| 2.2. Label elements                 | No olgninicant nazaru  |
| Risk phrases                        | No Significant Hazard.   |
| Safety phrases                      | S2 - Keep out of the reach of children.  |
|                                     | S2 - Do not breathe dust.  |
|                                     | S24 - Avoid contact with skin.   |
|                                     | S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  |
|                                     | S37/39 - Wear suitable gloves and eye/face protection.   |
| SECTION 3: Composition/inf          | ormation on ingredients  |
| 3.2. Mixtures                       | v  |

3.2. Mixtures



## RonaFloor Repair 1 Hour 25mm+

#### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

| Chemical Name            | Index No. | CAS No.    | EC No. | REACH Registration<br>Number | Conc.<br>(%w/w) | Classification |
|--------------------------|-----------|------------|--------|------------------------------|-----------------|----------------|
| Calcium Aluminate Cement |           | 65997-16-2 |        |                              | 10 - 20%        | 0              |
| Clinker                  |           |            |        |                              |                 |                |

# SECTION 4: First aid measures 4.1. Description of first aid measures Inhalation Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. Eye contact Immediately rinse with plenty of water for 15 minutes. Seek medical attention. Skin contact Remove contaminated clothing. Immediately wash with soap and water. Seek medical attention if irritation or symptoms persist. Ingestion Do not induce vomiting. Rinse mouth thoroughly. Drink plenty of water. Seek medical advice and show this safety data sheet or label.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

This product is not flammable and will not aid combustion with other materials.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                               | Avoid contact with eyes and skin. Wear full protective, waterproof clothing and a dust mask. Wear |
|-------------------------------|---|
|                               | waterproof gloves and eye/face protection. Wear waterproof rubber footwear such as Wellington     |
|                               | boots.  |
| 6.2 Environmental precautions |   |

#### 6.2. Environmental precautions

| Avoid formation of dust. Contain spillage and do not allow to contaminate soil and drains or |
|--|
| watercourses.  |

#### 6.3. Methods and material for containment and cleaning up

| Dry product - Use clean up methods that do not cause airborne dispersion, eg: an industrial vacuum cleaner, or spray with a fine mist of water prior to shovelling up the resultant slurry. |
|---|
| Wet product - Shovel up and place into plastic containers. Allow to harden before disposal (see section 13).  |

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

| Adopt best Manual Handling considerations when handling, carrying and dispensing. In contact with water an alkaline solution will be formed. However, the product has not been classed as irritant according to the criteria defined in the EEC directives (93/21/EEC). The product chemically reacts and hardens when mixed with water. The reaction is exothermic, resulting in a temperature rise. If large quantities are exposed to sufficient quantities of water, steam can be formed and the |
|--|
| temperature may increase enough to cause a risk of burns during the reaction.  |

#### 7.2. Conditions for safe storage, including any incompatibilities

|                          | Keep in a cool, dry, well ventilated area.                               |  |
|--------------------------|--|--|
| Suitable packaging       | Paper or plastic sacks, or buckets with secure lids.                     |  |
| 7.3. Specific end use(s) |  |  |
|                          | Do not not drink or smalle in cross where this product is used or stored |  |

Do not eat, drink or smoke in areas where this product is used or stored.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters



## RonaFloor Repair 1 Hour 25mm+

 Revision
 0

 Revision date
 2012-01-11

#### 8.1. Control parameters

| 8.1.1. Exposure Limit Values            |   |   |  |
|---|---|---|--|
| Calcium Aluminate Cement<br>Clinker     | WEL 8-hr limit ppm:   | WEL 8-hr limit mg/m3: Inhalable 10<br>Respirable 3  |  |
|   | WEL 15 min limit ppm:   | WEL 15 min limit mg/m3:   |  |
| 8.2. Exposure controls                  |   |   |  |
|   |   |   |  |
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation of the working area. Avoid formation of dust. Adopt best Manual Handling considerations when handling, carrying and dispensing. |   |  |
| Eye / face protection                   | Approved safety goggles. Provide eye wash   |   |  |
| Skin protection -                       | Wear waterproof and alkali resistant gloves. Disposable gloves are recommended as they promote  |   |  |
| Handprotection                          | regular changing.   |   |  |
| Skin protection - Other                 | Wear waterproof trousers and Wellington bo<br>entering boots. Recommend to wear single-u  | ots. Special care should be taken to avoid the product use disposable, waterproof overalls. |  |
| Respiratory protection                  | Wear a dust mask complying with EN149:20 effective fit on the face.   | 01+A1:2009 FFP3. Always check the mask is an  |  |
| Occupational exposure<br>controls       | Do no eat, drink or smoke when using this p   | roduct.   |  |
| Further information                     |   |   |  |
|   | Contact between cement-based powders an<br>burns.   | d bodily fluids (eg: sweat) can cause dermatitis or   |  |

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| State      | Powder                    |
|------------|---------------------------|
| Colour     | Grey                      |
| Odour      | Slight                    |
| Solubility | Slightly soluble in water |

#### SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions. This product must be kept dry (refer to 7.1).

| SECTION 11: Toxicological                  | nformation   |  |
|--|--|--|
| 11.1. Information on toxicological effects |  |  |
| Acute toxicity                             | No data is available on this product.  |  |
| Skin corrosion/irritation                  | Non-irritant.  |  |
| Serious eye damage/irritation              | Non-irritant.  |  |
| Respiratory or skin                        | No data is available on this product.  |  |
| sensitisation                              |  |  |
| Further information                        |  |  |
|  | This product has been checked in accordance with standard NF P 15-590 with respect to compliance with the provisions of directive 2003/53/CE and it does not contain any soluble chrome VI reducing agent. |  |
| SECTION 12: Ecological info                | rmation  |  |

#### SECTION 12: Ecological information



# RonaFloor Repair 1 Hour 25mm+

 Revision
 0

 Revision date
 2012-01-11

#### 12.3. Bioaccumulative potential

|                                  | No data available.  |
|----------------------------------|---|
| 12.4. Mobility in soil           |   |
|                                  | After hydration (a few hours or days in moist conditions) the product is stable in soil and water, with negligable mobility of its constituents.  |
| Further information              |   |
|                                  | In the presence of water or moisture, alkaline conditions are obtained which may have local effects<br>on vegetation and aquatic life.  |
| SECTION 13: Disposal cons        | iderations  |
| Disposal methods                 |   |
|                                  | Mix product with water, allow to harden, then dispose of according to local or national guidelines.   |
| SECTION 14: Transport info       | rmation   |
| ADR/RID                          |   |
|                                  | The product is not classified as dangerous for carriage.  |
| IMDG                             |   |
|                                  | The product is not classified as dangerous for carriage.  |
| ΙΑΤΑ                             |   |
|                                  | The product is not classified as dangerous for carriage.  |
| SECTION 15: Regulatory info      | ormation  |
| 15.1. Safety, health and environ | mental regulations/legislation specific for the substance or mixture  |
| Regulations                      | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
| SECTION 16: Other informat       | ion   |
| Further information              |   |
|                                  | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.                |



# Ronacrete

### SAFETY DATA SHEET according to 1907/2006/EC, Article 31

to 1907/2006/EC, Article 31

# 1:1 Gauging Liquid

Page 1/3

Revision 1 Revision date 2012-01-04

| SECTION 1. Identification of        | the substance/mixture and of the company/undertaking   |
|-------------------------------------|--|
| 1.1. Product identifier             |  |
| Product name                        | 1:1 Gauging Liquid   |
| Product code                        | PC012  |
| 1.2. Relevant identified uses of    | the substance or mixture and uses advised against  |
| Product Use                         | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PROC5] Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact); [ERC5] Industrial use resulting in inclusion into or onto a matrix; [AC4] Stone, plaster, cement, glass and ceramic articles; |
| 1.3. Details of the supplier of the | e safety data sheet  |
| Company                             | Ronacrete Limited  |
| Address                             | Ronac House<br>Flex Meadow<br>Harlow<br>Essex CM19 5TD<br>United Kingdom   |
| Web                                 | www.ronacrete.co.uk  |
| Telephone                           | +44 (0) 1279 638700  |
| Fax                                 | +44 (0) 1279 638701  |
| Email                               | technical@ronacrete.co.uk  |
| 1.4. Emergency telephone num        | ber  |
| Emergency telephone number          | +44 (0) 1279 638700  |
|                                     | Daytime  |
| SECTION 2: Hazards identif          | ication  |
| 2.1. Classification of the substa   | nce or mixture   |
| Main hazards                        | No Significant Hazard  |
| 2.2. Label elements                 |  |
| Risk phrases                        | No Significant Hazard.   |
| SECTION 3: Composition/in           | formation on ingredients   |
| 3.1. Substances                     |  |
|                                     | No hazardous ingredients.  |
|                                     |  |
| SECTION 4: First aid measu          |  |
| 4.1. Description of first aid mean  |  |
| Inhalation                          | Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.  |
| Eye contact                         | Bathe the eye with running water for 15 minutes. May cause irritation to eyes. Seek medical attention if irritation or symptoms persist.   |
| Skin contact                        | Remove contaminated clothing. Wash with soap and water. Seek medical attention if irritation or symptoms persist.  |



# 1:1 Gauging Liquid

#### Revision 1 Revision date 2012-01-04

| 4.1. Description of first aid measures                                   |   |  |
|--|---|--|
| Ingestion  | DO NOT INDUCE VOMITING. Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. Show this data sheet to the doctor.                            |  |
| SECTION 5: Firefighting measures   |   |  |
| 5.1. Extinguishing media   |   |  |
|  | Use as appropriate:. Carbon dioxide (CO2). Dry chemical. Foam.  |  |
| 5.2. Special hazards arising from the substance or mixture               |   |  |
|  | On evaporation of water, the residue may burn, producing irritating, toxic and obnoxious fumes.   |  |
| SECTION 6: Accidental relea  | ase measures  |  |
| 6.1. Personal precautions, protective equipment and emergency procedures |   |  |
|  | Evacuate personnel to a safe area. Ensure adequate ventilation of the working area. Wear suitable protective clothing, gloves and eye/face protection.                                    |  |
| 6.2. Environmental precautions   |   |  |
|  | Do not empty into drains. Prevent further spillage if safe.   |  |
| 6.3. Methods and material for co   | ontainment and cleaning up  |  |
|  | Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. Do not allow product to enter drains. |  |
| SECTION 7: Handling and storage  |   |  |
| 7.1. Precautions for safe handling                                       |   |  |
|  | Adopt best Manual Handling considerations when handling, carrying and dispensing. Ensure adequate ventilation of the working area.  |  |
| 7.2. Conditions for safe storage, including any incompatibilities        |   |  |
|  | Store between 5 and 35 degrees C, protect from frost and direct sunlight. Keep containers tightly closed.   |  |
| SECTION 8: Exposure control  | ols/personal protection   |  |
| 8.2. Exposure controls   |   |  |
|  |   |  |
| 8.2.1. Appropriate engineering controls                                  | Ensure adequate ventilation of the working area.  |  |
| 8.2.2. Individual protection measures                                    | Adopt best Manual Handling considerations when handling, carrying and dispensing.   |  |
| Eye / face protection  | Approved safety goggles.  |  |
| Skin protection -<br>Handprotection                                      | Wear disposable waterproof gloves.  |  |
| Skin protection - Other  | Protective clothing is recommended, including waterproof gloves and boots.  |  |
| SECTION 9: Physical and chemical properties                              |   |  |
| 9.1. Information on basic physical and chemical properties               |   |  |
|  |   |  |

| State            | Liquid                        |
|------------------|-------------------------------|
| Colour           | Liquid<br>Off white           |
| Odour            | Characteristic                |
| Relative density | 0.9 - 1.1 (Water = 1 @ 20 °C) |
| Miscible in      |                               |



1

Revision

# 1:1 Gauging Liquid

|  | Revision date 2012-01-04  |  |
|--|---|--|
| SECTION 10: Stability and reactivity       |   |  |
| 10.2. Chemical stability                   |   |  |
|  | Stable under normal conditions.   |  |
| SECTION 11: Toxicological i                | nformation  |  |
| 11.1. Information on toxicological effects |   |  |
|  | This product does not contain any substances classified as hazardous to health.   |  |
| SECTION 12: Ecological information         |   |  |
| 12.3. Bioaccumulative potential            |   |  |
|  | No bioaccumulation potential.   |  |
| Further information                        |   |  |
|  | Do not allow product to enter drains.   |  |
| SECTION 13: Disposal considerations        |   |  |
| General information                        |   |  |
|  | Do not empty into drains; dispose of this material and its container in a safe way.   |  |
| Disposal methods                           |   |  |
|  | Mix at the prescribed level with sand and cement, allow to harden then dispose of as dry waste.   |  |
| Disposal of packaging                      |   |  |
|  | Containers must be recycled in compliance with national legislation and environmental regulations.  |  |
| SECTION 14: Transport infor                | mation  |  |
| ADR/RID                                    |   |  |
|  | The product is not classified as dangerous for carriage.  |  |
| IMDG                                       |   |  |
|  | The product is not classified as dangerous for carriage.  |  |
| ΙΑΤΑ                                       |   |  |
|  | The product is not classified as dangerous for carriage.  |  |
| SECTION 15: Regulatory info                | ormation  |  |
| 15.1. Safety, health and environ           | mental regulations/legislation specific for the substance or mixture  |  |
| Regulations                                | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |  |
| SECTION 16: Other information              |   |  |
| Further information                        |   |  |
|  | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.                |  |

Powered by ChemSoft EH&S